

Vehicle-No.: 509004



Mercedes-Benz 1842 L ACTROS platform

Euro 39.500,00 + Mwst.

AVG Trucks GmbH

Gwinnerstraße 36

60388 Frankfurt/M

Telephone: **+49 (0) 69-942138-0**

Fax: **+49 (0) 69-942138-38**

info@avg-trucks.de

<http://www.avg-trucks.de>

First registration	07.11.2018
Mileage	258.100 km
Clearance store room dimensions	7250 x 2500 x 0 mm
Emission level	6
Engine power	310/422 kW/PS
Total weight	18.000 kg
Kerb weight	8.735 kg
Payload	9.265 kg
Wheelbase	5.500 mm
Height of edge of trailer tray	1.060 mm
Suspension	Air suspension
Operator's cab	StreamSpace schmal

Equipment

1G2 12-gear transmission automatic
A1A Front axle with air suspension
A1D Front axle 8.0 t
B1B Electronic braking system with ABS and ASR
B2A Disk-brakes front- and rearaxle
B5A Trailer brake, 2-line connections left
B5L Trailer brake connection Duomatic
C3H Wheelbase 5.500 mm
D0A leather Steering Wheel
D1D Driver's swing seat, climate
D1N Passenger seat feature
D2K Massage function for driver's seat
D3A Comfort Bed, top, width, height-adjustable
D3B Comfortable bed, below
D3M Mattress, Premium Comfort, below
D4T Curtain across bed
D4Z Sun blind side, driver and passenger side
D5B Ambient lighting
D6C Electric parking air conditioner
D6G automatic climate control
D6I Residual heat
D6M Hot water heater, cab
D7A Thermal insulation in addition
D7J Drawers under bed
D7V Table on the passenger side
D8M Sliding / tilt sunroof electric, glass version
E3R Power Socket 24 V / 25 A, front passenger footwell
E3S Socket 24 V / 15 A. side wall shelf right
E6A Trailer socket 24V, 15-pin
E7F Cable remote control for air suspension

F0T Mercedes star lit
F1E StreamSpace cab 2.30 m wide, 170 mm high engine tunnel
F1R Cab long
F2G Cabin width 2.30 m
F2N Cab, 600 mm heel height
F3C Cab suspension comfort with air suspension,
F4X Storage compartment outside flap left
F5A Air deflectors
F5L Sun visor, exterior, transparent
F6R Air horns, cab roof
F8E Locking system with central locking
F8F comfort Lock
F8X Rain / light sensor
G0V Driving program power
G5G Mercedes PowerShift 3
I2D Rear tire 315/60 R22, 5
I2M Tires 385/55 R 22.5 VA/VLA/NLA
I4A 4x2 wheel formula
I6Z Rear axle air suspension, low frame
J2D Radio / navigation system Bluetooth Comfort
J2K Speaker, 2-way system
J2M Aux-in, a side wall shelf, right
J3S Truck Data Center 6 (DTCO)
J3Z Axle load measuring device
J9A Provision for fitting CB radio, 12 V, DIN slot
J9D Pre-installation for toll collection
K1F 500 liter tank
K3V AdBlue tank 60 liters
K6F Tank 500 liters
L1A Bi-Xenon headlights
L1N Fog lights, LED-Daytime running lights, cornering lights
L1P LED taillights
L3Z Headlight washers
M0E Torque increase, in the 12th gear
M3A Motor OM 471, R6, 12,8 L, 310 kw (421 PS) 2100 Nm
M5B 2nd generation engine OM471
M5M Engine version Euro 6, with OBD-C
M5V High Performance Engine Brake
M8C Air intake, cab side wall mounted,
O1Y Steering, direct
O7B Powertrain Pack 2
O7L Chrome package, interior
O7P Driving Package
O7Q Comfort Package
O7R Safety Package
O7V Media Package
O7X Sight Package
P29 Platform front panel extension
PZ3 Palett stop bar
PZ4 anchorage points in outer frame
Q7J Towbar Standard D40, Ringfeder
S1D Stability Rules Wizard
S1F Wank rule wizard
S1H Lane keeping assistant
S1I Distance Keeping Assist

S1L Alertness assistant

S1R Blind Spot Assist

S1V Active Brake Assist 4

S1Y Tire pressure monitoring system

S3A Airbag, driver

S5Z cruise control

SS2 Driver's seat air-sprung, heated and ventilated

U1W AdBlue pipes, water-heated

W0K Weight variant 18.0 t (8.0 t / 11,5 t)

Y1X Refrigerator, in drawers, under the bed

Y22 Tool chest

Z0K Climate Pack

Z1H EBS

Z99 Vehicle without sparewheel

Legal notice: The details of this offer are subject to change.
Subject to prior sale. For sale to businesses only.