

Vehicle-No.: 604008



Mercedes-Benz 1840 L ACTROS platform with tarpaulin

Euro 78.500,00 + Mwst.

AVG Trucks GmbH

Gwinnerstraße 36

60388 Frankfurt/M

Telephone: **+49 (0) 69-942138-0**

Fax: **+49 (0) 69-942138-38**

info@avg-trucks.de

<http://www.avg-trucks.de>

First registration	02.07.2024
Mileage	44.300 km
Clearance store room dimensions	7290 x 2460 x 2480 mm
Emission level	6
Engine power	290/394 kW/PS
Total weight	18.000 kg
Kerb weight	8.850 kg
Payload	9.150 kg
Wheelbase	5.200 mm
Height of edge of trailer tray	1.210 mm
Suspension	parabolic/air
Operator's cab	cab medium length

Equipment

1G2 12-gear transmission automatic
2P0 Sliding side-panel of tarpaulin on left and right
B1B Electronic braking system with ABS and ASR
B2A Disk-brakes front- and rearaxle
B2X Parking brake, electronic
B5A Trailer brake, 2-line connections left
B5D Trailer stability control assistant (TSA)
B5L Trailer brake connection Duomatic
C3B Wheelbase 5.200 mm
C6Q Anti roll bar front
D1C Driver's suspension seat comfort
D1N Passenger seat feature
D4Y Sun blind, side, driver's side
D6G automatic climate control
D6I Residual heat
D8A Roof hatch / vent, roof
E6A Trailer socket 24V, 15-pin
E6Z Reversing alarm
E7F Cable remote control for air suspension
F10 M-Cab Classic Space 2,30 m, tunnel 320 mm
F1Q Medium sized cab
F2G Cabin width 2.30 m
F2M Cab, 420 mm height landing
F2U ClassicSpace
F4X Storage compartment outside flap left
F5C Air guide body, without base plate
F5L Sun visor, exterior, transparent
F6Q Air horn
F8E Locking system with central locking
F8F comfort Lock

F8V Light sensor
F8W Rain sensor
G0K Driving program economy / power
G0T Predictive Powertrain Control (PPC)
G5G Mercedes PowerShift 3
G5L PowerShift Advanced
H16 Driver's seat heating
I2E Tires 315/70 R 22.5
I2F Tires 315/70 R 22.5
I4A 4x2 wheel formula
I6X Air suspension, rear axle
J2K Speaker, 2-way system
J2U Navigation system
J3U Requirement FleetBoard Manager App
J3V Truck Data Center 7
J6C Multimedia cockpit, interactive
J9D Pre-installation for toll collection
JW7 Backup camera
K1C Tank 290 liters
K3V AdBlue tank 60 liters
L1C LED-daytime running lights
L1G LED headlights
L1W Indicadores LED en firma luminosa
M2Q Motor OM470, R6, 10,7 l, 290 kW (394 PS), 1900 Nm
M4X Engine version Euro 6, E
M5A 2nd generation engine OM470
M5V High Performance Engine Brake
O0T TruckLive
O1T Interior color greige/anthracite
O1Y Steering, direct
O3D Safety Pack, without roll control
P18 Board walls aluminum
P29 Platform front panel extension
PZ3 Palett stop bar
PZ4 anchorage points in outer frame
PZ5 Outer frame hole
Q7K Trailer coupling standard, D40, Rockinger
S1D Stability Rules Wizard
S1H Lane keeping assistant
S1I Distance Keeping Assist
S1L Alertness assistant
S1O Traffic sign assistant
S1R Blind Spot Assist
S1W Active Brake Assist 5
S3A Airbag, driver
S5Z cruise control
U1W AdBlue pipes, water-heated
V2F Actros S/M cab model generation 5
W0H Weight variant 18, t (7.5/12.0)
W74 Ladder at rear
WP6 Rear door with two leaves
X3W Mercedes-Benz ATS-Warranty 3 years/450000 km
Y1W Refrigerator, on motor tunnel
Y22 Tool chest
Z1H EBS

Z99 Vehicle without sparewheel

Legal notice: The details of this offer are subject to change.
Subject to prior sale. For sale to businesses only.

© 2005 **AVG** Trucks GmbH