

Vehicle-No.: 304014



Mercedes-Benz 2551 L ACTROS frame for various containers, BDF system jumbo

Euro 59.500,00 + Mwst.

AVG Trucks GmbH

Gwinnerstraße 36

60388 Frankfurt/M

Telephone: **+49 (0) 69-942138-0**

Fax: **+49 (0) 69-942138-38**

info@avg-trucks.de

<http://www.avg-trucks.de>

Contract structure	tail-lift Bär 1.500 kg, 1.800 mm, unterfahrbar. full service history
First registration	23.07.2019
Mileage	425.400 km
Emission level	6
Engine power	375/510 kW/PS
Total weight	26.000 kg
Kerb weight	10.572 kg
Payload	15.428 kg
Wheelbase	4.900 mm
Height of edge of trailer tray	1.050 mm
Suspension	Air suspension
Operator's cab	Bigspace

Equipment

1G2 12-gear transmission automatic
1H0 Retractable taillift
1W6 Frame for various containers, BDF system, for containers 7,82 m
A1A Front axle with air suspension
A1D Front axle 8.0 t
A4Z Trailing axle, fit to be raised, 7,5 t
B1B Electronic braking system with ABS and ASR
B2A Disk-brakes front- and rearaxle
B3H Secondary water retarder
B5A Trailer brake, 2-line connections left
C2U Wheelbase 4.900 mm
D0A leather Steering Wheel
D0C Interior concept style line
D0U Smoke detector, in the driver's cab
D1C Driver's suspension seat comfort
D1N Passenger seat feature
D2K Massage function for driver's seat
D3A Comfort Bed, top, width, height-adjustable
D3B Comfortable bed, below
D3M Mattress, Premium Comfort, below
D3N Top mattress, Premium Comfort
D4T Curtain across bed
D4X 2-piece electric sunblind, windscreen
D4Z Sun blind side, driver and passenger side
D5B Ambient lighting
D6C Electric parking air conditioner
D6G automatic climate control
D6I Residual heat
D6M Hot water heater, cab
D7A Thermal insulation in addition

D7J Drawers under bed
D7N Flexible shelving system for filing through front window
D7V Table on the passenger side
D8M Sliding / tilt sunroof electric, glass version
E3R Power Socket 24 V / 25 A, front passenger footwell
E4W Traction, speed limit 30 km / h
E6A Trailer socket 24V, 15-pin
E6Y Reversing alarms combined with hazard lights
E7F Cable remote control for air suspension
E9G Preparation for electrical devices
F0T Mercedes star lit
F1H BigSpace cab 2.50 m wide, flat bottom
F1R Cab long
F2H Cab width 2.50 m
F2P Cab, height 765 mm top
F3C Cab suspension comfort with air suspension,
F4X Storage compartment outside flap left
F4Z f5b
F5C Air guide body, without base plate
F5L Sun visor, exterior, transparent
F6Q Air horn
F8E Locking system with central locking
F8F comfort Lock
F8X Rain / light sensor
G0T Predictive Powertrain Control (PPC)
G0U Economy driving program
G5G Mercedes PowerShift 3
H16 Driver's seat heating
I2C Tires 315/60 R22, 5 Tavra / NLA
I2D Rear tire 315/60 R22, 5
I4C Wheel formula 6x2 ENA
I6X Air suspension, rear axle
J1S VDO Tachograph manufacturer
J2H Multimedia radio touch
J2J Sound-System
J3S Truck Data Center 6 (DTCO)
J3Z Axle load measuring device
J6Y Remote online
J9D Pre-installation for toll collection
K1P 630 liter tank
K3W AdBlue tank 75 liters
L1A Bi-Xenon headlights
L1N Fog lights, LED-Daytime running lights, cornering lights
L1P LED taillights
L3A Spotlight, below
L3Z Headlight washers
M0U Soundproofing, special package
M3D Motor OM 471, R6, 12.8 l, 375 kW (510 hp) 2500 Nm
M5B 2nd generation engine OM471
M5C Engine version Euro 6, D
M5V High Performance Engine Brake
O7B Powertrain Pack 2
O7O Economy Package
O7P Driving Package
O7Q Comfort Package

O7R Safety Package
O7U Climate Package
O7V Media Package
O7W Stowage Package
O7X Sight Package
Q7K Trailer coupling standard, D40, Rockinger
S1D Stability Rules Wizard
S1F Wank rule wizard
S1H Lane keeping assistant
S1I Distance Keeping Assist
S1L Alertness assistant
S1R Blind Spot Assist
S1V Active Brake Assist 4
S1Y Tire pressure monitoring system
S3A Airbag, driver
S5Z cruise control
U1W AdBlue pipes, water-heated
W2K Weight variant 26 t (7.5 / 11.5 / 7.5)
X3O Mercedes-Benz OnRoadService
Y1X Refrigerator, in drawers, under the bed
Y22 Tool chest
Z1H EBS

Legal notice: The details of this offer are subject to change.
Subject to prior sale. For sale to businesses only.